Toxicology, 45 (1987) 341—343
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

CONTENTS

Volume 45 (1987)

Effect of cadmium on vitamin D-non-stimulated intestinal calcium absorption in rats **(Cadmium does not appear to inhibit calcium transport by binding to a transport protein)**
by M. Ando and S. Matsui (Tokyo, Japan) . . . . . 1—11

Metabolism of 2- and 3-*tert*-butyl-4-hydroxyanisole(2- and 3-BHA) in the rat (II): Metabolism in forestomach and covalent binding to tissue macromolecules **(BHA appears to act without metabolic activation on forestomach epithelium)**
by M. Hirose, M. Asamoto, A. Hagiwara, N. Ito, H. Kaneko, S. Saito, Y. Takamatsu, A. Yoshitake and J. Miyamoto (Nagoya and Hyogo, Japan) . 13—24

Role of glutathione in acute *N*-(3,5-dichlorophenyl)succinimide-induced nephrotoxicity in Sprague-Dawley and Fischer 344 rats **(A glutathione or cysteine conjugate of NDPS may be responsible for NDPS nephrotoxicity)**
by D.J. Yang, V.J. Teets, B. Bolton, P.I. Brown and G.O. Rankin (Huntington, WV) . . . . . 24—44

Enhanced chemotaxis and superoxide anion production by polymorphonuclear leukocytes from nicotine-treated and smoke-exposed rats **(Both mainstream and sidestream smoke enhances superoxide anion release, but only mainstream smoke enhances chemotaxis)**
by M.N. Gillespie, J.O. Owasoyo, S. Kojima and M. Jay (Lexington, KY) . . 45—52

Isolation and characterization of a metallothionein-like protein from monkey brain **(A cerebral cadmium binding metallothionein differs in some aspects from the hepatic one but is immunologically similar)**
by S. Gulati, V.K. Paliwal, M. Sharma, K.D. Gill and R. Nath (Chandigarh, India) . . . . . 53—64

The effect of lead on cholinergic contractile function in the rat forestomach **(Lead intoxication does not impair the contractile apparatus of the forestomach smooth muscle)**
by E.B. Ryden and C.T. Walsh (Boston, MA) . . . . . 65—78

Stimulation of cyclophosphamide-induced pulmonary microsomal lipid peroxidation by oxygen **(Cyclophosphamide-induced microsomal lipid peroxidation may be mediated through reactive O_2 species and perhaps acrolein and metabolites)**
by J.M. Patel, (Gainesville, FL) . . . . . 79—91

Effect of *N*-benzyl-D-glucamine dithiocarbamate on distribution and excretion of cadmium in rats **(NBG-DTC increased biliary excretion of cadmium but produced only a small increase in urinary excretion)**
S. Kojima, M. Kiyozumi, T. Honda, K. Kaminaka, Y. Oda and Y. Senba (Kumamoto, Japan) . . . . . 93—102

Cytotoxicity and induction of repairable DNA damage by photoactivated 5-nitrofurfural **(Light decomposes 5-nitrofurfural to a genotoxic product)**
by R.W. Busker, G.M.J. Beijersbergen van Henegouwen (Leiden, The Netherlands) . . . . . 103—112

Short Communication
Effect of Cd administration on the pituitary-adrenal axis **(Cadmium sulfate increases the corticosterone and ACTH levels in rats)**
by J. Hidalgo and A. Armario (Barcelona, Spain) . . . . . 113—116
Announcement 117
Contents of journals relating to Toxicology . . . . . 119—122
Brain lipid changes in rats exposed to xylene and toluene **(The solvents produce some changes in lipid composition)**
by T. Kyrklund, P. Kjellstrand and K. Haglid (Lund, Sweden) . . . . . 123—133
Silver-induced lipid peroxidation in mice: interactions with selenium and nickel **(Silver lactate induces an increase in hepatic lipid peroxidation that is further modified by selenite and nickel)**
by J. Rungby (Aarhus, Denmark) . . . . . 135—142
Metabolism of benzo[*a*]pyrene in the combined rat liver — lung perfusion system **(A tandem lung-liver perfusion decreases the exposure of the lung to toxic substances)**
by M. Mollière, H. Foth, R. Kahl and G.F. Kahl (Göttingen and Berlin, F.R.G.) . . . . . 143—154
Erythrocyte δ-aminolevulinic acid dehydratase in birds. I. The effects of lead and other metals in vitro **(Lead is a potent inhibitor of the avian enzyme)**
by A.M. Scheuhammer (Ontario, Canada) . . . . . 155—163
Erythrocyte δ-aminolevulinic acid dehydratase in birds. II. The effects of lead exposure in vivo **(The ratio activated-non activated enzyme in red blood cells is a sensitive indicator of lead exposure in birds)**
by A.M. Scheuhammer (Ontario, Canada) . . . . . 165—175
Pulmonary aryl hydrocarbon hydroxylase activity of mice, rats and guinea pigs following long term exposure to mainstream and sidestream cigarette smoke **(Sidestream smoke is as good an inducer of pulmonary AHH in rats and mice as is mainstream smoke)**
by C.G. Gairola (Lexington, KY) . . . . . 177—184
A highly sensitive bacterial assay for toxins based on swarming inhibition, and comparison with the cup plate assay based on growth inhibition **(The inhibition of bacterial swarming is proposed as an assay for toxins)**
by P. Lenz and R. Süssmuth (Stuttgart, F.R.G.) . . . . . 185—191
Neurotoxic effects of methylcyclopentadienyl manganese tricarbonyl (MMT) in the mouse: basis of MTT-induced seizure activity **(Seizures are most likely caused by MMT and not by elemental Mn)**
by B.E. Fishman, P.A. McGinley and G. Gianutsos (Storrs, CT) . . . . . 193—201
The effect of acute cigarette smoke inhalation on pulmonary and systemic cysteine and glutathione redox states in the rat **(Tobacco smoke reduces glutathione in lung cells)**
by I.A. Cotgreave, U. Johansson, P. Moldéus and R. Brattsand (Stockholm and Lund, Sweden) . . . . . 203—212
Enhancement by glutathione depletion of ethanol-induced acute hepatotoxicity in vitro and in vivo **(Phorone-induced glutathione depletion increases the hepatocellular toxicity of ethanol)**
by O. Strubelt, M. Younes and R. Pentz (Lübeck, F.R.G.) . . . . . 213—223
Contents of journals relating to Toxicology . . . . . 225—228
Monoclonal antibodies for dioxin: antibody characterization and assay development **(The competition ELISA detects 0.5 ng of 2,3,7,8-TCDD)**
by. L.H. Stanker, B. Watkins, N. Rogers and M. Vanderlaan (Livermore, CA) 229—243
Developmental toxicity of diacetoxyscirpenol in the mouse **(When injected i.p., in the range of 1—6 mg/kg, diacetoxyscirpenol is teratogenic)**
by K. Mayura, E.E. Smith, B.A. Clement, R.B. Harvey, L.F. Kubena and T.D. Phillips (College Station, TX) . . . . . 245—255

Endotoxin inactivation by the humoral components in the tolerant rat serum **(Serum from tolerant rats contain large quantities of lipopolysaccharide inhibitors)**
by Y. Yamaguchi, K. Mori, H. Gans and M. Akagi (Kumamoto, Japan, Urbana-Champaign and Danville, IL) . . . . . 257—268

Effect of microsomal enzyme activity modulation on *N*-(3,5-dichlorophenyl)-succinimide-induced nephrotoxicity **(A metabolite, possibly of extrarenal origin, contributes to NDPS toxicity)**
G.O. Rankin, D.J. Yang, C.D. Richmond, V.J. Teets, R.T. Wang and P.I. Brown (Huntington, WV) . . . . . 269—289

Comparison of hexachlorobenzene-induced alterations of microsomal membrane composition and monooxygenase activity in male and female rats **(HCB treatment increases phospholipids in microsomal membranes)**
by L. Cantoni, M. Rizzardini, M.T. Tacconi and A. Graziani (Milan, Italy) 291—305

Cadmium-metallothionein nephrotoxicity in the rat: transient calcuria and proteinuria **(0.4 mg Cd/kg injected as Cd metallothionein temporarily increases protein and calcium excretion)**
by T. Jin, P. Leffler and G.F. Nordberg (Umeå, Sweden) . . . . . 307—317

Rapid halogenated hydrocarbon toxicity in isolated hepatocytes is mediated by direct solvent effects **(Inhibition of cellular respiration and release of aspartate aminotransferase correlate with oil/water partition coefficient)**
by M.L. Berger and T. Sozeri (Cincinnati, OH) . . . . . 319—330

Contents of journals relating to Toxicology . . . . . 331—332
Announcement 333
Subject Index Volume 45 . . . . . 335—338
Author Index Volume 45 . . . . . 339—340
Volume Contents Volume 45 . . . . . 341—343